L	Hits	Search Text	DB	Time stamp
Number 1	45887	correct\$3 near4 (sample or point)	USPAT; US-PGPUB;	2004/03/03 07:04
2	92961	(backward or left) near2 direction	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:05
3	229964	(forward or right) near2 direction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:05
4	6776	compar\$5 near4 (pair or (first near3 last) or two) near4 (sample or point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03
5	6831	compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4 (sample or point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:07
6	26	(correct\$3 near4 (sample or point)) and (((backward or left) near2 direction) or ((forward or right) near2 direction)) and (compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:08
7	1006	<pre>(sample or point)) (((backward or left) near2 direction) or ((forward or right) near2 direction)) and (fsk or (frequency adj shift))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:29
8	.13	last) or two or symmetric\$2) near4 (sample or point)) and (((backward or left) near2 direction) or ((forward or right) near2 direction)) and (fsk or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:27
9	86678	<pre>(frequency adj shift))) (mid or central or middle or symmetric\$2) adj4 (point or sample)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:29
10	45	<pre>(compar\$5 near4 (pair or (first near3 last) or two) near4 (sample or point)) near5 ((mid or central or middle or symmetric\$2) adj4 (point or sample))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:30
11	0	((compar\$5 near4 (pair or (first near3 last) or two) near4 (sample or point)) near5 ((mid or central or middle or symmetric\$2) adj4 (point or sample))) and (fsk or (frequency adj shift))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:34
12	67		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:30
13	0	<pre>((compar\$5 near4 (pair or (first near3 last) or two) near4 (sample or point)) same ((mid or central or middle or symmetric\$2) adj4 (point or sample))) and (fsk or (frequency adj shift))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:31

14	321	compar\$5 near6 (middle or mid or cent\$3 or symmetric\$2) near6 (pair or last or first or two) near6 (sample or point)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 08:13
			IBM TDB	
15	2	<pre>(compar\$5 near6 (middle or mid or cent\$3 or symmetric\$2) near6 (pair or last or first or two) near6 (sample or point)) and (fsk or (frequency adj shift))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03
		and (ISK of (Frequency ad) Shirt()	IBM TDB	
16	23	<pre>(compar\$5 near6 (middle or mid or cent\$3 or symmetric\$2) near6 (pair or last or first or two) near6 (sample or point)) and (correct\$3 near4 (sample or point))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:36
17	426	<pre>(compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4 (sample or point)) and (correct\$3 near4 (sample or point))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:36
18	10	<pre>((compar\$5 near6 (middle or mid or cent\$3 or symmetric\$2) near6 (pair or last or first or two) near6 (sample or point)) and (correct\$3 near4 (sample or point))) and ((compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4 (sample or point)) and (correct\$3 near4 (sample or point)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:38
19	10237	((frequency adj shift adj key) or fsk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 08:14
20	23	<pre>(compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4 (sample or point)) and (((frequency adj shift adj key) or fsk))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 08:08
21	228	<pre>(correct\$3 near4 (sample or point)) and (((frequency adj shift adj key) or fsk))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:41
22	0	<pre>(compar\$5 near6 (middle or mid or cent\$3 or symmetric\$2) near6 (pair or last or first or two) near6 (sample or point)) and ((correct\$3 near4 (sample or point)) and (((frequency adj shift adj key) or fsk)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:53
23	5	output near4 (different or unequal or dissimilar) near6 (compar\$5 near4 (pair or (first near3 last) or two or symmetric\$2) near4 (sample or point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:55
24	4031	(block or group or pair) near4 (sampl\$3 or point\$1) near7 compar\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 08:09
25	32	<pre>(((frequency adj shift adj key) or fsk)) and ((block or group or pair) near4 (sampl\$3 or point\$1) near7 compar\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 08:09
26	432	<pre>compar\$5 near8 ((middle or mid or cent\$3 or symmetric\$2) near5 (point or sample)) near8 (pair or last or first or two) near6 (sample or point)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:14

27	5	(((frequency adj shift adj key) or fsk))	USPAT;	2004/03/03
Ì		and (compar\$5 near8 ((middle or mid or	US-PGPUB;	08:14
		cent\$3 or symmetric\$2) near5 (point or	EPO; JPO;	
		sample)) near8 (pair or last or first or	DERWENT;	
		two) near6 (sample or point))	IBM_TDB	